

Images and names

Open-Frame Transformers (ST-UV16-W50Q)



Voice Dialer (E-920B)



Channel Receiver (Sk-910RBQ)




Wired 1-Button Transmitter (SK-919TDWS-BU)



Sample Application:

*Make push-to-exit plate
or keypad wireless.*



Electric Door Strikes (SD-994C) - for use in wooden doors



Electric Door Strikes (SD-995C) - for use in metal doors



Indoor Access Control Keypads (SK-1011-SQ)



Outdoor Access Control Keypads (SK-1123-SQ)



Hands-Free Video Door Phone (DP-234Q)



HOLD-UP DEVICES (269R/270R/269SN)



Features:

- Silent operation
- Double-pole double-throw contacts for multi-notifications
- Twin 45° screw terminals with EOL resistor splicing terminal
- Adhesive pads for temporary positioning while installing
- Stainless steel cover (269R and 269SN)
- Fully supervised
- Convenient reset key for testing and/or reset of alarm

CEILING MOUNT PIR MOTION SENSOR (997)



WIRELESS MOTION DETECTORS (5800PIR Series)



PERSONAL PANIC TRANSMITTER FAMILY (5802WXT)



WIRELESS KEY FAMILY (5834)



WIRELESS GLASSBREAK DETECTOR (5853)



COMMERCIAL WIRELESS RECEIVER (5881ENHC)



WIRELESS PIR MOTION SENSOR (5894PI)



ALPHA AND FIXED-LANGUAGE SECURITY KEYPADS (6100 Series)



FEATURES:

- Attractive, sleek look
- Wide, easy-to-read matrix LCD display (Alpha only)*
- VISTA Intelligent Programming (VIP)
 - Menu-based programming option (Alpha only)*
 - Intuitive, menu-based user code programming (Alpha only)*
- Single-button arming option
- Intuitive clock programming
- Icon indicators
- Four programmable function keys
- Integrated 5800 transceiver (RF models)
 - Fixed-English: 16 zones
 - Alpha: Unlimited zones
- Voice annunciation (voice models)
- Integrated hardwired zone (ZN models)
- Compatible with all VISTA controls

FIXED ENGLISH DISPLAY KEYPAD (6148)



FEATURES:

- Fixed-English LCD displays system status at a glance, making operation easier than ever
- Compact and easy to install
- Soft-touch rubber keys are continuously backlit for greater visibility
- Piezoelectric sounder with audible beeps to indicate system status and entry/exit delay
- System functions clearly labeled on telephone style keypad
- Three separate dual buttons can be programmed to contact fire, police or emergency response personnel with a single touch.
- System functions can be easily performed using a “security code + command” entry
- Stylish white keypad with removable door blends with any décor
- Contoured, removable door lets you customize keypad for the look you want

FIXED ENGLISH DISPLAY KEYPAD (6150)



FEATURES:

- Large, easy-to-use keypad
- Soft-touch rubber keys, continuously backlit for greater visibility
- Fully compatible with all VISTA controls.
- Piezoelectric sounder with audible beeps to indicate:
 - System status
 - Entry/exit delay
 - Other alarm situations
- System status displayed in fixed English
- No confusing blinking lights
- Four programmable function keys
- System functions clearly labeled
- Functions performed by just entering security code plus command
- White with removable door, blends with any décor

FIXED ENGLISH INTEGRATED KEYPAD/TRANSCIEVER (6150RF)



WITH DOOR ATTACHED

WITHOUT DOOR

Features:

- 6150 Fixed English Keypad
- Built-in 16-Zone wireless transceiver
- Compatible with 5828 and 5828V wireless keypads
- Single four-wire run is all that's required
- It is the ideal choice where wireless keys are to be used:
 - Keys can be programmed at the panel, just as they would with the
 - Keys can be enrolled locally at the keypad, without taking up additional zones at the control
- Fully compatible with all 5800 wireless devices including bi-directional
- Supports encrypted operation of the 5804E* and 5804BDV four-button keys
- On-board single relay provides a low cost solution for opening garage doors.

Stylishly Designed

- Sleek white design blends with any décor
- Contoured, removable door lets customers customize the keypad for the look they want
- With the door closed the keypad has a smooth, unobtrusive appearance

Easy to Operate

- The fixed English display is easy to read, with large characters and simplified descriptions
- The sounder beeps to help identify security system status
- Comfortable soft-touch keys labeled with simple commands are illuminated for nighttime visibility
- Four larger function keys can be programmed for one touch operation and are accessible even when the door is closed


ALPHA DISPLAY KEYPAD (6160)



Features

- Large, easy-to-use keypad
- Keys continuously backlit for greater visibility
- Speaker with audible beeps to indicate:
 - System status
 - Entry/exit delay
 - Other alarm situations
- Zones and system events displayed in plain English
- No confusing blinking lights
- Four programmable function keys
- System functions clearly labeled
- Functions performed by just entering security code plus command
- White with removable door blends with any décor

3/8" Diameter Recessed Contact with Screw Terminals (944T)



DUAL TEC® MOTION SENSOR (DT7550C)



GLASSBREAK DETECTOR (FG-1625F)



GLASSBREAK DETECTOR (FG-1625/1625T)



Passive infrared Motion sensor (IS215T)



FAMILY OF PASSIVE INFRARED MOTION SENSORS (IS2500 Series)



Speaker (Wave)



Indoor Speaker (746)



Indoor Speaker (746F)



Speaker (749)



Two-Tone Siren (Wave 2)



Dual Tone Siren (748)



Self-Contained Electronic Siren (719)



Wireless Siren (5800WAVE)



DUAL TEMPERATURE SENSOR (TS300)



VISTA® CONTROL PANEL (VISTA-10P)



Features

- IP alarm reporting and uploading/ downloading capability for Internet and Intranet use via iGSMV4G, 7845i-ENT, GSMV4G or GSMX4G
- Six hardwired zones on board
- 16 wireless expansion zones totaling 22 protection zones
- Eight independent keyfob zones allow two wireless keys to be programmed without using any of the 22 zones
- 32 Event log
- 16 user codes
- One configurable zone type allows installers to create their own custom zone type
- Two on-board triggers
- Four output devices using a 4204 relay module

Valuable End-user Features

- Flexible function keys allow single button arming
 - One programmable macro key
 - Viewable on system keypad display
 - Exit countdown
 - Time and date*
 - Event log*
 - Two schedules
 - Can activate relays on programmed times or on events
 - Latchkey reports to a pager
 - “User Access” time windows
 - Chime by zone
 - Four output devices with multiple actions per device
 - Turn lights on when system disarms
 - Flash same lights when system is in alarm using a 4204 Relay
 - Fully compatible with Honeywell Total Connect™ Remote Services
- *with Alpha Keypad

VISTA® CONTROL PANEL (VISTA-20P)



Features

- IP alarm reporting and uploading/ downloading capability for Internet and Intranet use via iGSMV4G, 7845i-ENT, GSMV4G or GSMX4G
- Supports four graphic touch screen keypads
- Wireless keys can be programmed
- Eight on-board hardwired zones without using zones standard (15 when Zone Doubling feature is used)
 - 40 hardwire expansion zones
 - 40 wireless expansion zones
- Two low current on-board trigger outputs
- 100 Event Log viewable at system keypads with time/date stamp
- 48 system user codes assignable to either partition
- Expandable to 48 total zones when used with hardwired and/or wireless expansion modules
- Two independent partitions plus a common partition
 - Global Arming from any system keypad
 - Go to function to view or operate one partition from the other
 - Separate partition account numbers
- 16 output devices
 - Relays (Model 4204 Relay Modules, or 4229 Expansion Module)
- Four installer-configurable zone types allows the installer to create custom zone types by assigning all zone attributes
- Supports four-wire and up to 16 two-wire smokes
 - Works with Sentrol CleanMe™ maintenance signal
- Multiple actions on output devices depending on system state
 - Turns lights off when system arms
 - Turns the same light on when system disarms
 - Flashes same lights when system is in alarm
- Built-in phone line cut monitor with programmable delay and annunciation options
 - Display on system keypads
 - Trigger local sounders
 - Trigger system bell

Security Dealer Features

- Automatic System Load Shed
 - During extended AC power fail, the system battery will be disconnected to prevent irreversible battery failure. Reduces service calls to replace batteries.
- Dynamic Signaling

– Reduces redundant reporting to the central station when multiple reporting methods are used; i.e. digital dialer and AlarmNet radio

Valuable End-user Features

- Viewable on system keypads:
 - Exit countdown
 - Time and date display*
 - Event log*
 - Auto keypad backlighting on entry
 - Key switch arming
 - Programmable macro buttons and single-button arming
 - Supports a variety of wireless remote controls for single-button operation
 - User Scheduling
 - Latchkey reports to pagers
 - Auto arm/disarm
 - “User access” time windows
 - VIP Module allows system control from any touchtone phone
 - Chime by zone
 - Fully compatible with Honeywell Total Connect™ Remote Services
- *Requires custom alpha keypad